

# CATALOG 2026.

MegaPressG and Tools



**viega**

Registered trademark:



Founded in:

1899

Company:

Viega GmbH & Co. KG

Address:

Viega Platz 1  
57439 Attendorn  
Germany

Phone:

+49 2722 61-0

E-Mail:

info@viega.com

Internet:

viega.com

Bank account:

Deutsche Bank AG Siegen  
DE10 4607 0090 0532 3720 00  
DEUTDEDK460

VAT No:

DE 307 732 088

GLN (Global Location Number)  
Viega GmbH & Co. KG:

40 15211 00000 4

Viega is an expert in healthy potable water in buildings and is one of the global market and technology leaders in the installation sector. As a quality-focused family business employing more than 5,500 people internationally, the company has over 125 years of experience in building technology. Its core areas of expertise include maintaining and developing potable water hygiene, energy efficiency, comfort and safety in buildings. With ten locations around the world, the company group produces more than 17,000 products and systems.

The challenges for the Sanitary & Heating Industry are great: housing construction and renovation as well as the consistent saving of resources in all areas will be the dominant themes in the coming years. With our product innovations, we make your daily work easier.

Extensive certifications are proof of our high quality standards: The quality management system (according to DIN EN ISO 9001) is

certified just like the energy management system (according to DIN EN ISO 50001) and the environmental management system (according to DIN EN ISO 14001).


The illustrations and information contained in this document are not binding. We reserve the right to introduce progressive improvements. Material data refer to those parts that come into contact with water. Dimensions are in mm or inches. PU = packaging unit.

The term 'Viega' as used on the website may refer to a Viega group company or to the Viega brand, depending on the context. The individual companies of the Viega group are legally separate units and as such they operate independently. Therefore the term 'Viega' does not necessarily refer to any particular company.

As of January 2026

# PIPING TECHNOLOGY

MegaPressG



**viega**

## MegaPressG

Viega MegaPressG with an HNBR sealing element is the first press fitting system for carbon steel pipe approved for use in gas and fuel oil applications. Viega MegaPressG is ideal for industrial, commercial and residential applications and performs well in both new installations and retrofit projects. Tested to the strictest standards in North America, Viega MegaPressG joins carbon steel pipe reliably through the engineered design of the fittings and a battery-powered press tool. Not approved for use with potable water.

### Features and Benefits

Engineered with a 420 stainless steel grip ring plus a 304 stainless steel separator ring for sizes ½" to 2" and a graphite separator ring for sizes 2½" to 4"

Approved for more applications than any other carbon steel pipe press fitting system

Suitable for use with ASTM Schedule 10 to Schedule 40 carbon steel pipe

Corrosion-resistant zinc nickel coating

More than 200 different engineered fitting configurations

The same hanger and support requirements as threaded systems  
Viega Smart Connect technology provides installers added confidence in their ability to ensure secure connections

### Note

Products within this section meet various codes, standards, listings and certifications. Please refer to the most up-to-date Tech Data sheets relevant to the product or to the listing agency's official record. A yellow dot indicates an HNBR sealing element.

**Index**

Elbows	4
Tees	5
Adapters	6
Flanges	7
Caps	8
Unions	8
Couplings	9
Reducers	10

## Elbows



### Viega MegaPressG 90° elbow Smart Connect Technology

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

#### Components

HNBR sealing elements, grip rings, separator rings

**Model 6616**

P1	P2	Wt [lb]	Quantity	Part No
1/2	1/2	0.370	10	<b>25201</b>
3/4	3/4	0.503	10	<b>25206</b>
1	1	0.811	5	<b>25211</b>
1 1/4	1 1/4	1.278	1	<b>25216</b>
1 1/2	1 1/2	1.708	1	<b>25221</b>
2	2	2.541	1	<b>25226</b>



### Viega MegaPressG 90° elbow Smart Connect Technology

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

#### Components

HNBR sealing elements, grip rings, separator rings

#### Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 6616XL**

P1	P2	Wt [lb]	Quantity	Part No
2 1/2	2 1/2	3.306	1	<b>28600</b>
3	3	4.668	1	<b>28605</b>
4	4	7.597	1	<b>28610</b>



### Viega MegaPressG 90° street elbow Smart Connect Technology

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, street

#### Components

HNBR sealing element, grip ring, separator ring

**Model 6616.1**

P	FTG (IPS)	Wt [lb]	Quantity	Part No
1/2	1/2	0.379	10	<b>26051</b>
3/4	3/4	0.531	10	<b>26056</b>
1	1	0.838	5	<b>26061</b>
1 1/4	1 1/4	1.300	1	<b>26066</b>
1 1/2	1 1/2	1.790	1	<b>26071</b>
2	2	2.596	1	<b>26076</b>



### Viega MegaPressG 90° street elbow Smart Connect Technology

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, street

#### Components

HNBR sealing element, grip ring, separator ring

#### Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 6616.1XL**

P	FTG (IPS)	Wt [lb]	Quantity	Part No
2 1/2	2 1/2	3.242	1	<b>28615</b>
3	3	4.421	1	<b>28620</b>
4	4	7.178	1	<b>28625</b>



### Viega MegaPressG 45° elbow Smart Connect Technology

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

#### Components

HNBR sealing elements, grip rings, separator rings

**Model 6626**

P1	P2	Wt [lb]	Quantity	Part No
1/2	1/2	0.309	10	<b>25231</b>
3/4	3/4	0.410	10	<b>25236</b>
1	1	0.655	5	<b>25241</b>
1 1/4	1 1/4	1.047	1	<b>25246</b>
1 1/2	1 1/2	1.389	1	<b>25251</b>
2	2	1.951	1	<b>25256</b>


**Viega MegaPressG 45° elbow  
Smart Connect Technology**

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

**Components**

- HNBR sealing elements, grip rings, separator rings

**Note**

- Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 6626XL**

P1	P2	Wt [lb]	Quantity	Part No
2½	2½	2.482	1	28630
3	3	3.471	1	28635
4	4	5.686	1	28640


**Viega MegaPressG 45° street elbow  
Smart Connect Technology**

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, street

**Components**

- HNBR sealing element, grip ring, separator ring

**Model 6626.1**

P	FTG (IPS)	Wt [lb]	Quantity	Part No
½	½	0.312	10	26101
¾	¾	0.428	10	26106
1	1	0.677	5	26111
1¼	1¼	1.058	1	26116
1½	1½	1.435	1	26121
2	2	2.094	1	26126


**Viega MegaPressG 45° street elbow  
Smart Connect Technology**

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, street

**Components**

- HNBR sealing element, grip ring, separator ring

**Note**

- Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 6626.1XL**

P	FTG (IPS)	Wt [lb]	Quantity	Part No
2½	2½	2.380	1	28645
3	3	3.258	1	28650
4	4	5.356	1	28655

**Tees**

**Viega MegaPressG tee  
Smart Connect Technology**

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

**Components**

- HNBR sealing elements, grip rings, separator rings

**Model 6618**

P1	P2	P3	Wt [lb]	Quantity	Part No
½	½	½	0.507	5	25301
¾	¾	½	0.639	5	25331
¾	¾	¾	0.679	5	25306
1	1	½	0.917	5	25336
1	1	¾	0.957	5	25341
1	1	1	1.031	5	25311
1¼	1¼	½	1.355	1	25491
1¼	1¼	¾	1.406	1	25496
1¼	1¼	1	1.477	1	25351
1¼	1¼	1¼	1.644	1	25316
1½	1½	½	1.752	1	25361
1½	1½	¾	1.790	1	25366
1½	1½	1	1.878	1	25371
1½	1½	1¼	2.028	1	25376
1½	1½	1½	2.138	1	25321
2	2	½	2.526	1	25381
2	2	¾	2.444	1	25386
2	2	1	2.513	1	25391
2	2	1¼	2.645	1	25396
2	2	1½	2.755	1	25401
2	2	2	2.898	1	25326



**Viega MegaPressG tee  
Smart Connect Technology**

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components

HNBR sealing elements, grip rings, separator rings

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 6618XL**

P1	P2	P3	Wt [lb]	Quantity	Part No
2½	2½	1	2.358	1	28910
2½	2½	1¼	2.729	1	28905
2½	2½	1½	2.821	1	28675
2½	2½	2	3.246	1	28680
2½	2½	2½	3.369	1	28660
3	3	1¼	3.577	1	28695
3	3	1½	3.753	1	28690
3	3	2	4.077	1	28685
3	3	2½	4.256	1	28700
3	3	3	4.796	1	28665
4	4	1½	5.539	1	28705
4	4	2	5.953	1	28710
4	4	2½	6.325	1	28715
4	4	3	6.727	1	28720
4	4	4	7.994	1	28670



**Viega MegaPressG tee  
Smart Connect Technology**

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, female pipe thread

Components

HNBR sealing elements, grip rings, separator rings

**Model 6617.2**

P1	P2	FPT	Wt [lb]	Quantity	Part No
¾	¾	½	0.613	5	25406
¾	¾	¾	0.639	5	25481
1	1	½	0.886	5	25411
1	1	¾	0.915	5	25416
1¼	1¼	½	1.344	1	25486
1¼	1¼	¾	1.349	1	25506
1¼	1¼	1	1.444	1	25501
1½	1½	½	1.706	1	25436
1½	1½	¾	1.741	1	25441
1½	1½	1	1.929	1	25446
1½	1½	1¼	1.829	1	25451
2	2	½	2.358	1	25456
2	2	¾	2.391	1	25461
2	2	1	2.535	1	25466
2	2	1¼	2.446	1	25471
2	2	1½	2.601	1	25476



**Viega MegaPressG tee  
Smart Connect Technology**

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, female pipe thread

Components

HNBR sealing elements, grip rings, separator rings

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 6617.2XL**

P1	P2	FPT	Wt [lb]	Quantity	Part No
2½	2½	¾	2.244	1	28725
3	3	¾	3.097	1	28730
4	4	¾	4.501	1	28735

**Adapters**



**Viega MegaPressG adapter  
Smart Connect Technology**

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, male pipe thread

Components

HNBR sealing element, grip ring, separator ring

**Model 6611**

P	MPT	Wt [lb]	Quantity	Part No
½	½	0.227	10	25101
¾	¾	0.313	10	25106
1	1	0.474	5	25111
1¼	1¼	0.767	5	25116
1½	1½	1.069	1	25121
2	2	1.433	1	25126


**Viega MegaPressG adapter  
Smart Connect Technology**

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, male pipe thread

**Components**

HNBR sealing element, grip ring, separator ring

**Note**

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 6611XL**

P	MPT	Wt [lb]	Quantity	Part No
2½	2½	1.719	1	28740
3	3	2.338	1	28745
4	4	4.119	1	28750


**Viega MegaPressG adapter  
Smart Connect Technology**

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, female pipe thread

**Components**

HNBR sealing element, grip ring, separator ring

**Model 6612**

P	FPT	Wt [lb]	Quantity	Part No
½	½	0.246	10	25131
¾	½	0.291	10	25576
¾	¾	0.315	10	25136
1	½	0.441	10	25581
1	¾	0.441	5	25586
1	1	0.538	5	25141
1¼	½	0.660	1	25591
1¼	¾	0.670	1	25596
1¼	1	0.749	1	25601
1¼	1¼	0.662	5	25146
1½	½	0.827	1	25606
1½	¾	0.860	1	25611
1½	1	0.959	1	25616
1½	1¼	0.849	1	25621
1½	1½	0.948	1	25151
2	½	1.098	1	25626
2	¾	1.124	1	25631
2	1	1.225	1	25636
2	1¼	1.157	1	25641
2	1½	1.190	1	25646
2	2	1.333	1	25156


**Viega MegaPressG adapter  
Smart Connect Technology**

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, female pipe thread

**Components**

HNBR sealing element, grip ring, separator ring

**Note**

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 6612XL**

P	FPT	Wt [lb]	Quantity	Part No
2½	2½	1.827	1	28755
3	3	2.354	1	28760
4	4	3.436	1	28765

**Flanges**

**Viega MegaPressG flange  
Smart Connect Technology**

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

**Components**

HNBR sealing element, grip ring, separator ring

**Model 6659.5**

P	BP	BPd	Wt [lb]	Quantity	Part No
½	4	2¾	1.393	1	25761
¾	4	2¾	1.845	1	25766
1	4	3⅛	2.455	1	25771
1¼	4	3½	2.711	1	25776
1½	4	3⅞	4.011	1	25781
2	4	4¾	5.400	1	25786

BP = bolt pattern  
BPd = bolt pattern diameter



**Viega MegaPressG flange  
Smart Connect Technology**

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, flat-faced flange

Components

HNBR sealing element, grip ring, separator ring

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 6659.5XL**

P	BP	BPd	Wt [lb]	Quantity	Part No
2½	4	5½	8.426	1	<b>28875</b>
3	4	6	9.881	1	<b>28880</b>
4	8	7½	13.874	1	<b>28885</b>

BP = bolt pattern  
BPd = bolt pattern diameter

**Caps**



**Viega MegaPressG cap  
Smart Connect Technology**

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components

HNBR sealing element, grip ring, separator ring

**Model 6656**

P	Wt [lb]	Quantity	Part No
½	0.203	10	<b>25731</b>
¾	0.264	10	<b>25736</b>
1	0.397	5	<b>25741</b>
1¼	0.617	1	<b>25746</b>
1½	0.804	1	<b>25751</b>
2	1.080	1	<b>25756</b>



**Viega MegaPressG cap  
Smart Connect Technology**

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components

HNBR sealing element, grip ring, separator ring

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 6656XL**

P	Wt [lb]	Quantity	Part No
2½	1.309	1	<b>28860</b>
3	1.708	1	<b>28865</b>
4	2.746	1	<b>28870</b>

**Unions**



**Viega MegaPressG union  
Smart Connect Technology**

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection
- Ground joint

Components

HNBR sealing elements, grip rings, separator rings

**Model 6660**

P1	P2	Wt [lb]	Quantity	Part No
½	½	0.758	5	<b>25701</b>
¾	¾	1.212	5	<b>25706</b>
1	1	1.441	5	<b>25711</b>
1¼	1¼	2.424	1	<b>25716</b>
1½	1½	2.689	1	<b>25721</b>
2	2	4.188	1	<b>25726</b>



**Viega MegaPressG union  
Smart Connect Technology**

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection, female pipe thread
- Ground joint

Components

HNBR sealing element, grip ring, separator ring

**Model 6662**

P	FPT	Wt [lb]	Quantity	Part No
½	½	0.675	5	<b>25651</b>
¾	¾	1.107	5	<b>25656</b>
1	1	1.358	5	<b>25661</b>
1¼	1¼	2.343	1	<b>25666</b>
1½	1½	2.226	1	<b>25671</b>
2	2	3.295	1	<b>25676</b>

**Couplings**

**Viega MegaPressG coupling**
**With stop  
Smart Connect Technology**

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components

HNBR sealing elements, grip rings, separator rings

**Model 6615**

P1	P2	Wt [lb]	Quantity	Part No
1/2	1/2	0.260	10	<b>25001</b>
3/4	3/4	0.353	10	<b>22009</b>
1	1	0.514	5	<b>25011</b>
1 1/4	1 1/4	0.860	1	<b>25016</b>
1 1/2	1 1/2	1.124	1	<b>25021</b>
2	2	1.433	1	<b>25026</b>


**Viega MegaPressG coupling**
**With stop  
Smart Connect Technology**

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components

HNBR sealing elements, grip rings, separator rings

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 6615XL**

P1	P2	Wt [lb]	Quantity	Part No
2 1/2	2 1/2	1.689	1	<b>28770</b>
3	3	2.435	1	<b>28775</b>
4	4	3.965	1	<b>28780</b>


**Viega MegaPressG coupling**
**No stop  
Smart Connect Technology**

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components

HNBR sealing elements, grip rings, separator rings

**Model 6615.5**

P1	P2	Wt [lb]	Quantity	Part No
1/2	1/2	0.264	10	<b>25031</b>
3/4	3/4	0.339	10	<b>25036</b>
1	1	0.511	5	<b>25041</b>
1 1/4	1 1/4	0.860	1	<b>25046</b>
1 1/2	1 1/2	1.124	1	<b>25051</b>
2	2	1.411	1	<b>25056</b>


**Viega MegaPressG coupling**
**No stop  
Smart Connect Technology**

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

Components

HNBR sealing elements, grip rings, separator rings

Note

Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 6615.5XL**

P1	P2	Wt [lb]	Quantity	Part No
2 1/2	2 1/2	1.728	1	<b>28785</b>
3	3	2.413	1	<b>28790</b>
4	4	4.009	1	<b>28795</b>


**Viega MegaPressG extended coupling**
**No stop  
Smart Connect Technology**

- Carbon steel, zinc-nickel coating
- Press connection

Components

HNBR sealing elements, grip rings, separator rings

**Model 6615.3**

P1	P2	Wt [lb]	Quantity	Part No
1/2	1/2	0.348	10	<b>25071</b>
3/4	3/4	0.447	10	<b>25076</b>
1	1	0.674	5	<b>25081</b>
1 1/4	1 1/4	1.031	1	<b>25086</b>
1 1/2	1 1/2	1.350	1	<b>25091</b>
2	2	1.693	1	<b>25096</b>

## Reducers



### Viega MegaPressG reducer Smart Connect Technology

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Street, press connection

#### Components

- HNBR sealing element, grip ring, separator ring

**Model 6615.1**

FTG (IPS)	P	Wt [lb]	Quantity	Part No
3/4	1/2	0.276	5	<b>26001</b>
1	1/2	0.364	5	<b>26006</b>
1	3/4	0.397	5	<b>26011</b>
1 1/4	1	0.688	1	<b>26016</b>
1 1/2	3/4	0.710	1	<b>26021</b>
1 1/2	1	0.793	1	<b>26031</b>
1 1/2	1 1/4	0.926	1	<b>26026</b>
2	1	1.047	1	<b>26036</b>
2	1 1/4	1.168	1	<b>26041</b>
2	1 1/2	1.289	1	<b>26046</b>



### Viega MegaPressG reducer Smart Connect Technology

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Street, press connection

#### Components

- HNBR sealing element, grip ring, separator ring

#### Note

- Must be installed with MegaPress XL rings and PressBooster/Z3 actuator.

**Model 6615.1XL**

FTG (IPS)	P	Wt [lb]	Quantity	Part No
2 1/2	1	1.210	1	<b>28800</b>
2 1/2	1 1/4	1.351	1	<b>28805</b>
2 1/2	1 1/2	1.457	1	<b>28810</b>
2 1/2	2	1.534	1	<b>28815</b>
3	1 1/4	1.942	1	<b>28820</b>
3	1 1/2	2.061	1	<b>28825</b>
3	2	2.181	1	<b>28830</b>
3	2 1/2	2.169	1	<b>28835</b>
4	1 1/2	2.980	1	<b>28840</b>
4	2	3.130	1	<b>28845</b>
4	2 1/2	3.086	1	<b>28850</b>
4	3	3.526	1	<b>28855</b>



### Viega MegaPressG reducer Smart Connect Technology

- For use with Sch. 10 to Sch. 40 carbon steel pipe
- Carbon steel, zinc-nickel coating
- Press connection

#### Components

- HNBR sealing elements, grip rings, separator rings

**Model 6615.2**

P1	P2	Wt [lb]	Quantity	Part No
3/4	1/2	0.360	5	<b>25931</b>
1	1/2	0.485	5	<b>25936</b>
1	3/4	0.511	5	<b>25941</b>
1 1/4	3/4	0.743	1	<b>25946</b>
1 1/4	1	0.804	1	<b>25951</b>
1 1/2	1 1/4	1.080	1	<b>25956</b>
2	1 1/4	1.459	1	<b>25961</b>
2	1 1/2	1.492	1	<b>25966</b>

# PIPING TECHNOLOGY

**Tools**



**viega**

## Tools

Viega offers a variety of press tools and press jaws for every fitting size across every system. Save 50 to 90 percent on labor costs and system downtime by using a battery-powered press tool to make connections in seconds. With Viega, you'll get a whole solution from start to finish, including fittings, valves, press jaws/rings and press tools. Viega tool kits include a press tool, press jaws/rings, batteries, chargers and cases. Individual tools, press jaws/rings and accessories are also available.

### Features and Benefits

Viega press jaws and rings are uniquely engineered specifically for Viega fittings to make a reliable press every time

The same power tool can be used across Viega systems to make presses on different products

Make a press at any angle with Viega's patented swivel feature on press rings and actuators, an advantage when working in tight spaces as well as in shafts and pre-wall construction

Press jaws and rings are available in sizes ½" to 4" for metals

No fire watches, hot work permits or gas freeing necessary

Press in wet or dry conditions

### Note

Products within this section meet various codes, standards, listings and certifications. Please refer to the most up-to-date Tech Data sheets relevant to the product or to the listing agency's official record.

**Index**

Power Tools	14
Actuators / Press Jaws / Rings	14
Accessories	15

**Power Tools**



**Pressgun 6 Plus press machine with rechargeable battery and Bluetooth interface**

- for all Viega system press jaws, rings, chains and (hinged) adapter jaws with PT2 interface incl. Pressgun Press Booster, connection to Viega Tool Services
- equipped with system case model 2202, case inlay Pressgun 6 Plus model 2202.16, cover inlay model 2202.90, battery charger for Viega 18 V lithium-ion rechargeable battery model 2488.65, connection cable type C (CEE7/16) / C7 model 2488.67, connection cable 12 V car voltage connector SAE J563 model 2488.7, rechargeable battery article 790 912
- 360° rotatable press jaw fixture

Equipment

rechargeable battery 18 V/2.5 Ah, battery charger 110–250 V/50–60 Hz/12 V

Technical data

Pressing force 32 kN

Service intervals

Available at any time via Viega Tool Services app or display after 40,000 pressings, safety shutdown after a further 2,000 pressings – but after 4 years at the latest – whichever occurs first.

**Model 2295.3**

	Quantity	Part No
	1	790 547



**XL PressBooster**

**2½" MegaPress press ring**

- For Viega MegaPress XL connections 2½", 3", 4"

Components

XL PressBooster, 2½" MegaPress press ring, shoulder strap, hard case

Note

Capable of pressing 3" and 4" connections with the purchase of additional press rings.

**Model 4896.2XL**

for d	Wt [lb]	Quantity	Part No
2½–4	37.027	1	26200

**Actuators / Press Jaws / Rings**



**Viega MegaPress XL press ring set**

- For use with MegaPress XL PressBooster and Viega MegaPress Z3 Actuator

Components

3" and 4" MegaPress press rings, hard case

**Model 4896.5XL**

for d	Wt [lb]	Quantity	Part No
3–4	23.913	1	57078



**Viega MegaPress standard press jaw and ring set**

- For standard press tools, Viega MegaPress connections ½" to 2"

Components

MegaPress press jaw sizes ½" to 1", MegaPress press rings sizes 1 ¼" to 2", V2 actuator, branded soft-sided case

**Model 2880.71**

for d	Wt [lb]	Quantity	Part No
½–2	48.986	1	56013

**Accessories**



**Shoulder strap**  
 - Suitable for XL PressBooster 2½" MegaPress  
 press ring Model 4896.2XL  
 - Nylon  
**Model 4897.4XL**

	Wt [lb]	Quantity	Part No
	0.555	1	<b>26930</b>



**Replacement handle**  
 - For Z3 actuator  
 - Plastic  
**Model 4898.7XL**

	Wt [lb]	Quantity	Part No
	0.309	1	<b>57082</b>

**Viega Middle East Trading FZE**

Office 1404  
S.I.T. Tower, Dubai  
Silicon Oasis Dubai  
United Arab Emirates

[viega.com](http://viega.com)

Local contact persons:

Mubbasher Ansari  
+971 55 4470330  
[mubbasher.ansari@viega.ae](mailto:mubbasher.ansari@viega.ae)

Renjith Joseph  
+971 55 4470330  
[renjith.joseph@viega.ae](mailto:renjith.joseph@viega.ae)